


- Subject** ▶ Change of Blade Case Complete, etc.
- For Models** ▶ LS1013, LS1013F
- Country** ▶ All countries except Canada, U.S.A., Brazil, Chile, Mexico, Panama
- Description** ▶ 1) Blade case complete has been changed. New Blade case complete has a threaded hole for Hex. socket head bolt M6x10.  
 2) Hex. bolt M10x130, Flat washer 10 and Hex. lock nut M10x17 have been eliminated.  
 3) Hex. socket head bolt M6x10 has been added.  
 4) Although a new blade case complete has a threaded hole, part number remains the same.  
 Distinguish a new blade case complete from a current one by its threaded hole.



## Interchangeability(I/C)

| Item No.                  | Current part                     | Q'ty | I/C | New part                                | Q'ty | Note                              |
|---------------------------|----------------------------------|------|-----|---|------|-----------------------------------|
| 052                       | Blade Case Complete<br>151469-2  | 1    | ←   | Blade Case Complete<br>151469-2         | 1    | With English caution label        |
| 052                       | Blade Case Complete<br>151470-7  | 1    | ←   | Blade Case Complete<br>151470-7         | 1    | With English/French caution label |
| 052                       | Blade Case Complete<br>151969-2  | 1    | ←   | Blade Case Complete<br>151969-2         | 1    | With Chinese caution label        |
| 052                       | Blade Case Complete<br>151471-5  | 1    | ←   | Blade Case Complete<br>151471-5         | 1    | With German caution label         |
| 085                       | Hex. Bolt M10x130<br>265406-1    | 1    |     |   |      |                                   |
| 086                       | Flat Washer 10<br>253024-7       | 2    |     |   |      |                                   |
| 095                       | Hex. Lock Nut M10x17<br>252130-5 | 1    |     |   |      |                                   |
| LS1013:166<br>LS1013F:168 |                                  |      |     | Hex. Socket Head Bolt M6x10<br>251961-9 | 1    |                                   |

### Interchangeability mark ;

The arrow ← means that the new part can be substituted for the current.

### Note

Current Blade case complete must be used with Hex. bolt M10x130, Flat washer 10 and Hex. lock nut M10x17.

### Implementation

To be implemented from February 2004 production